

Insects

Wheat starch Crespovit® Starch

Wheat Starch Crespovit® Starch is a plant-based liquid animal feed that is released during the processing of wheat flour into wheat starch for human and technical application. During the process, the flour is washed, whereby a separation takes place between the starch fractions and the wheat gluten. A co-product that is released during this process is Wheat Starch Crespovit® Starch, which contains a high proportion of starch and is marketed as a liquid feed ingredient.

Quality

The product complies with laws and regulations. Mycotoxins, insecticides, pesticides and herbicides are tested according to the GMP+ FSA. The product is non-GMO (according to Regulation (EC) 1829/2003 and 1830/2003).



Valid from 09 November 2021

Downloaded on 08 May 2026

Dry matter %	34.4
pH	3.5
Crude protein	32
Crude fat	11
Crude fibre	10
Crude ash	9
Starch total	807
Sugar	19
Calcium (Ca)	0.3
Sodium (Na)	2.1
Chloride (Cl)	0.3
Potassium (K)	2.2
Phosphorus total (P)	1.4
Dig. Phosphorus	0.8
Lactic acid	35
Acetic acid	16
Alcohol	9



Loop Co-Products BV
 Parlevinkerweg 8
 5928 NV Venlo
 The Netherlands

 www.loop.company
 support@loop.company
 +31(0)88 56 66 721

IBAN: NL55 RABO 0321 8217 85
BIC: RABO NL2U
VAT. NL NL0095.32.488.13.01
VAT. BE BE0547739105
UST.ID: DE2891.81.759
C.C. Venlo: 1203 5225

GMP+: GMP+ GMP+
QS ID: GMP018172
 4031735219906

	AiD	SiD
Dig. Lysine	1.0	1.4
Dig. Methionine	0.4	0.5
Dig. Methionine + Cystine	0.9	1.2
Dig. Threonine	0.4	1.0
Dig. Tryptophan	0.2	0.3
Dig. Isoleucine	0.6	0.9
Dig. Leucine	1.3	1.8
Dig. Valine	1.0	1.6
Energie value		
1.51		
NE pigs, kcal		
3182		
ME Schw., MJ		
16.2		

Levels are based on averages and stated in grams per kg of dry matter, unless stated otherwise. Changes in product composition are reserved.

Feeding advice based on DS of total ration

Weaned piglets (up to 25 kg)	max 15%
Fattening pigs (25 - 50 kg)	max 20%
Fattening pigs (from 50 kg)	max 25%
Sows	max 25%

Logistics & Storage

Transport	Liquid with tank truck
Storage	In acid-resistant silo or bunker with agitator, regular stirring is desirable to prevent settling.
Shelf life	3 months, provided the silo or bunker is cleaned regularly
Nipple worthy	No