

Insects

Corn feed meal RO

Corn feed meal RO is released during the processing of maize into maize semolina meal and maize flour for the food industry. Corn feed meal RO consist of bran, germs and parts of the mealy core. Corn feed meal RO can be used perfectly as a replacement for CCM.

The product complies with laws and regulations. Mycotoxins, insecticides, pesticides and herbicides are tested according to the GMP+ FSA. The product is non-GMO (according to Regulation (EC) 1829/2003 and 1830/2003).



Valid from 13 September 2021

Downloaded on 02 February 2026

Dry matter %	87.1
pH	6.5
Crude protein	95
Crude fat	77
Crude fibre	34
Crude ash	22
Starch total	613
Sugar	29
Calcium (Ca)	0.7
Sodium (Na)	0.0
Chloride (Cl)	0.6
Potassium (K)	5.6
Magnesium (Mg)	2.1
Phosphorus total (P)	4.6
Dig. Phosphorus	1.2

	AID	SID
Dig. Lysine	1.9	2.3
Dig. Methionine	1.7	1.8
Dig. Methionine + Cystine	3.2	3.5
Dig. Threonine	2.1	2.7
Dig. Tryptophan	0.4	0.5
Dig. Isoleucine	2.2	2.5
Dig. Leucine	7.6	8.1
Dig. Valine	3.2	3.7
VEM		
	1295	
VEVI		
	1446	
DVE		
	110	
OEB		
	-72	
Energie value		
	1.49	
NE pigs, kcal		
	3127	
ME Schw., MJ		
	16.4	

Levels are based on averages and stated in grams per kg of dry matter, unless stated otherwise. Changes in product composition are reserved.

Feeding advice based on DS of total ration

Weaned piglets (up to 25 kg)	max 20%
Fattening pigs (25 - 50 kg)	max 25%
Fattening pigs (from 50 kg)	max 30%
Sows	max 30%
Dairy cattle	max 4 kg product in ration
Beef cattle	max 1 kg product / 100 kg body weight

Logistics & Storage

Transport	Bulk with tipper, walking floor or blown in silo
Storage	Store in a dry, dark and cool place or in a closed dry feed silo. Clean storage areas regularly.
Shelf life	3 months
Nipple worthy	No