

**Livestock**

## Wheat yeast concentrate Amypro

### Wheat yeast concentrate Amypro

is produced during the extraction of alcohol from liquid wheat starch. The present starch is converted into alcohol by micro-organisms. After the separation of alcohol, a liquid, brown-colored and protein-rich product is created that is marketed under the name Amypro. In order to give Wheat yeast concentrate Amypro the desired usage properties, organic acids are added immediately after the separation process to steer further natural preservation in the right direction. The protein consists partly of yeast and partly of wheat protein, which makes Amypro a stable protein source with an attractive amino acid pattern. Sulphate is added in the process, it is important to take this into account in the ration composition for pigs.

### Quality

The product complies with laws and regulations. Mycotoxins, insecticides, pesticides and herbicides are tested according to the GMP+ FSA. The product is non-GMO (according to Regulation (EC) 1829/2003 and 1830/2003).



**Valid from 22 March 2023**

Downloaded on 02 February 2026

FORWARD MOVING CIRCULARITY

**Looop Co-Products BV**

Parlevinkerweg 8  
5928 NV Venlo  
The Netherlands

[www.looop.company](http://www.looop.company)  
[support@looop.company](mailto:support@looop.company)  
+31(0)88 56 66 721

**IBAN:**

NL55 RABO 0321 8217 85

**BIC:**

RABO NL2U

**VAT. NL**

NL0095.32.488.13.01

**VAT. BE**

BE0547739105

**UST.ID:**

DE2891.81.759

**C.C. Venlo:**

1203 5225

**GMP+:**

GMP018172

**QS ID:**

4031735219906

Dry matter %	27.0
pH	3.6
Crude protein	257
Crude fat	68
Crude fibre	35
Crude ash	82
Starch total	51
Sugar	185
Calcium (Ca)	2.2
Sodium (Na)	9.3
Chloride (Cl)	6.9
Potassium (K)	17.8
Phosphorus total (P)	7.9
Dig. Phosphorus	4.7
Sulfate	31.2
Glycerol	60.6
Lactic acid	24
Acetic acid	2
Alcohol	1

	AID	SID
Dig. Lysine	8.2	8.6
Dig. Methionine	3.3	3.4
Dig. Methionine + Cystine	6.0	6.3
Dig. Threonine	6.2	6.8
Dig. Tryptophan	2.0	2.2
Dig. Isoleucine	6.7	7.1
Dig. Leucine	12.6	13.0
Dig. Valine	9.2	9.8

Energie value	
	114
NE pigs, kcal	
	2401
ME Schw., MJ	
	13.4

## Cattle values

DVE	141
OEB	62
FOS	604
VEM	
	1180
VEVI	
	1292

Levels are based on averages and stated in grams per kg of dry matter, unless stated otherwise. Changes in product composition are reserved.

## Feeding advice based on DS of total ration

Weaned piglets (up to 25 kg)	max 10%
Fattening pigs (25 - 50 kg)	max 15%
Fattening pigs (from 50 kg)	max 20%
Sows	max 20%
Dairy cattle	max 10 kg product in ration
Beef cattle	max 1,5 kg product / 100 kg body weight

## Logistics & Storage

Transport	Liquid with tank truck
Storage	In acid-resistant silo or bunker with agitator, stirring against settling
Shelf life	3 months, provided the silo or bunker is cleaned regularly
Nipple worthy	No
Extra Comment	Please note to the level of sodium